



bolton

product catalogue

About us

PROFILES WITH PROFILE

A powerful and efficient team is the base for our company success. We have faced the requirements of the market and are today the trademark for innovation, competence and quality in plastic manufacturing. We relentlessly pursue our focus on quality, also in products, processes and management. APU's claim is to provide always the highest quality. We confess a special responsibility to the environment, align each operational work to this subject and know the basics of saving resources as well as a lasting management.

ADVICE



Profiles are illustrated between 60% and 80%. The basic size of the profiles are mm.

Manufacturing differences and tolerances are subject to change.

Our standard program is only available in original packaging. We only deliver special colors and profiles by agreement. Over at all we reserve us other changes.

With this catalogue the older ones get null. Delivery will be carried out according to our delivery and payment conditions.

As may be the case of missprint there is no way of complaint.

The colors in this sheet could be differ because of print technic.

MANUFACTURING ADVICE

These pictograms show the manufacturing advice we give to you.



two-componentmastic



BOLTA-scissors



BOLTA-hot glue gun




BOLTA-punch

- orange pressure piece
- grey set
- black set
- white set
- blue set



Overview of pressure pieces and sets see page 62.





BOLTA - PROFILE - PARTNERS

1 **Andrea Facklam**
Handelsvertretung BOLTA
Fußbodenprofile
Eckhoffkoppel 8b
22927 Grobshansdorf
T 04102 - 65111
F 04102 - 691489
M 0160 - 7013414
@ a.facklam@t-online.de

2 **Marco Kalbhen**
Handelsvertretung BOLTA
Fußbodenprofile
14476 Potsdam
M 0175 - 2047971
@ info@kalma-handel.de

3 **André Schlepphorst**
33129 Delbrück
M 0151 - 29501782
@ schlepphorst@abs-leisten.de

4 **Frank Schmidt**
Handelsvertretung BOLTA
Fußbodenprofile
Bornackerweg 9
35232 Dautphetal
M 0172 - 8488536
@ schmidt-f@t-online.de

5 **Marcel Bäßler**
Handelsvertretung BOLTA
Fußbodenprofile
Straße des Friedens 11b
04654 Frohburg OT Flößberg
M 0163 - 4774765
@ info@handelsagentur-baessler.de

6 **Stefan Elser**
73527 Schwäbisch Gmünd
M 0151 - 11507509
@ elser.stefan@apu-schoenberg.de

7 **Thomas Freund**
Handelsvertretung BOLTA
Fußbodenprofile
Schleifweg 20
97464 Niederwerrn
T 09726 - 1245
F 09726 - 1210
M 0160 - 98042329
@ t.freund@t-online.de

Matthias Bäßler
Handelsvertretung BOLTA
Fußbodenprofile
Finkenweg 18
04643 Geithain
T 034341 - 43277
F 034341 - 40804
M 0171 - 8239292
@ info@baessler-werkzeug.de

Zentrallager Bolta Fußbodenprofile
APU Schönberg GmbH
94513 Schönberg
T 08554 - 309-0
F 08554 - 309-50
@ info@apu-schoenberg.de

products

01

Q-group
p. 08-15

02

hard-foam-skirtings
p. 16-25

03

carpet-skirtings
p. 26-30

04

concave-Skirtings
p. 32-35

05

plasticised-PVC-skirtings
p. 36-41

06

stair-nosings
p. 42-47

07

special-profiles
p. 48-57

08

tools/equipment
p. 58-62

Q-group

STRAIGHT-LINED TRENDSETTER

„Clear cut“ is currently very much in vogue. The hard foam skirting boards from the Q-family follow this trend. The shape of the board follows current design requirements for plain, high-quality and straight lined skirting boards. A modern look and uncomplicated workmanship go hand in hand here, because the boards can be fitted to inner and outer corners quickly and easily with the BOLTA mitre cutter. Skirting boards from the Q-group are available in heights of 40, 60 and 80 mm. The surfaces are finished in smooth, grained and brushed versions; the colour palette ranges from wood and metal looks to selected decor colours in 3D. From a purchase quantity of at least 2,000 metres, we also produce decors according to customer specifications. In addition, the general quality features of the Q-family are the same as those of our entire rigid foam segment: they are insensitive to moisture, dimensionally stable and easy to process.



Skirting boards from the Q-group are available in heights of 40, 60 and 80 mm. The surfaces are finished in smooth, grained and brushed versions.



Q-group



Q 12-60M p. 10



Q 12-60H p. 10



Q 12-60G/B/N p. 11



Q 12-40G/B p. 12



Q 12-80G p. 12




Q 16-80G/B p. 13



Q 8-70G p. 14




COMING SOON S. 15



Q 12-60M

ARTICLE 10646

Packungseinheit / Länge:
20 pcs per 2,5 m = 50 m



Q 12-60H

ARTICLE 10670

packaging unit / length
20 pcs per 2,5 m = 50 m



WHITE SET



- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **metallic** surface



0808
rose gold



0807
gold



0801
bronze light



0802
bronze



0803
titan



0804
stainless
steel dark



0805
champagne
light



0806
aluminium



WHITE SET



- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **wood colored** surface



8930
oak arizona



8927
polar oak



8926
lime oak



8925
isla spruce



8924
sitka spruce



8934
chestnut



8929
pine



8928
beech country
house




8933
oak rustic



8932
rustic



8931
oak
havanna



Q 12-60G

ARTICLE 10655

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth** surface



WHITE SET



9016
traffic white



0101
white



1236
clear grey



0107
grey



7043
basalt



1594
black

Q 12-60B

ARTICLE 10645

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



9016
traffic white



0101
white



1236
clear grey



0107
grey



7043
basalt

Q 12-60N

ARTICLE 10650

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **grainy structured** surface



9016
traffic white



0101
white




1236
clear grey



0107
grey



7043
basalt



Q 12-40G


ARTICLE 10640

packaging unit / length
30 pcs per 2,5 m = 75 m

Q 12-40B

ARTICLE 10641


packaging unit / length
30 pcs per 2,5 m = 75 m



Q 12-80G

ARTICLE 10855

packaging unit / length
13 pcs per 2,5 m = 32,5 m



WHITE SET



- + unplasticised PVC-foam-skirting in 40 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth** surface



9016
traffic white



0101
white

- + unplasticised PVC-foam-skirting in 40 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



9016
traffic white



WHITE SET




- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth** surface



9016
traffic white



0101
white



Q 16-80G

ARTICLE 10680

packaging unit / length
10 pcs per 2,5 m = 25 m

Q 16-80B

ARTICLE 10681

packaging unit / length
10 pcs per 2,5 m = 25 m

Q-group



- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth** surface



9016
traffic white

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



9016
traffic white



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



Q 8-70G

ARTICLE 10755

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 70 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **smooth** surface



9016
traffic white



0101
white



BLACK SET



COMING SOON

Q 12-100G

Q 12-80 HBS-G

- + unplasticised PVC-foam-skirting in 100 mm and 80 mm headway
- + not affected by humidity or moisture, dimensionally stable
- + **brushed** surface



9016
traffic white



0101
white

hard-foam-skirtings

carpet-skirtings

concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment

hard-foam-skirtings

CLASSIC FLOOR SKIRTINGS

Within product innovation BOLTA has developed a large quote of hard-foam-skirtings, which are especially suited for objects. Particular the classic floor skirting, made out of foamed unplasticised- PVC in various sizes and styles with a rigid surface and nevertheless slight in weight. To work the skirting is very easy if you use the BOLTA-punch. This product family is immune to dampness and always keeps form. Two flexible lips to floor and wall drain off subsonic noise. We offer our established profile in selected 3-D or metal-decor-colors with structure or in wood optic.



This product family is immune to dampness and always keeps form.



hard-foam-skirtings



SL 60

p. 18



SL 80

p. 20



SL 100

p. 20



SL 55

p. 21



PSL 58/58F

p. 22



MULTI-SL 60

p. 23



TSL 60

p. 23




SL 48M

p. 24



BSL 60

p. 25



SL 60

ARTICLE 10560

packaging unit / length
25 pcs per 4 m = 100 m

ARTICLE 25560

packaging unit / length
40 pcs per 2,5 m = 100 m

EQUIPMENT

hard-foam-skirtings



ORANGE
PRESSURE PIECE

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall



internal corner

Article 22842
50 pieces/color

external corner

Article 22843
50 pieces/color

finish cap left

Article 22845
50 pieces/color

finish cap right

Article 22844
50 pieces/color

colours

0101 white	0107 grey	0272 clear beige
1236 clear grey	1594 black	8740 silver



ARTICLE 10560

packaging unit / length
25 pcs per 4 m = 100 m

									
8703 beech rustic	8619 beech select	8661 beech	8886 beech country house	8898 pine	8897 rowan	8747 paduk	8952 oak salento		
									
8920 grey oak	8884 lime oak	8885 polar oak	8902 oak arizona	8538 oak	8735 oak rustic	8951 oak cervino	8950 oak twist	8788 smoked oak	8749 ocean oak
									
8662 maple	8748 chestnut	8829 wild pear	8919 rustic	8742 ikarus	8806 sitka spruce	8850 savanne	8824 platane	8849 isla spruce	8852 cement grau
									
8807 country house	8748 chestnut	8778 fir antic	8538 oak	8735 oak rustic					
									
8747 paduk	8777 bomanga	8806 sitka spruce	8788 smoked oak						

ARTICLE 25560

packaging unit / length
40 pcs per 2,5 m = 100 m

EQUIPMENT

internal corner

Article 22842
50 pieces/color

external corner

Article 22843
50 pieces/color

finish cap left


Article 22845
50 pieces/color

finish cap right

Article 22844
50 pieces/color

colours

8538 oak	8619 beech select	8661 beech	8662 maple
--------------------	-----------------------------	----------------------	----------------------



SL 80

ARTICLE 10575

packaging unit / length
25 pcs per 4 m = 100 m

SL 100

ARTICLE 10590

packaging unit / length
25 pcs per 4 m = 100 m

hard-foam-skirtings



ORANGE
PRESSURE PIECE

- + unplasticised PVC-foam-skirting in 80 mm headway
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall



0101
white



0107
grey



1236
clear grey



1594
black

- + PVC Hartschaumsockelleiste in 100 mm Bauhöhe
- + not affected by humidity or moisture, form-keeping
- + **imbued**, flexible lips to floor and wall



0101
white




0107
grey



1236
clear grey



1594
black




SL 55

ARTICLE 10565

packaging unit / length
25 pcs per 4 m = 100 m



- + PVC Hartschaumsockelleiste in 55 mm Bauhöhe
- + not affected by humidity or moisture, form-keeping



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



PSL 58

ARTICLE 10669

packaging unit / length
25 pcs per 4 m = 100 m


ARTICLE 25669

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **transparent** lip to the floor



ORANGE
PRESSURE PIECE



PSL 58F


ARTICLE 10669

packaging unit / length
25 pcs per 4 m = 100 m

ARTICLE 25669

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised PVC-foam-skirting in 58 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + shadow gap to the wall, **imbued** lip to the floor



EQUIPMENT

finish cap left


Article 22839
50 pieces/color

finish cap right

Article 22838
50 pieces/color

colours


0101 white	0107 grey	0272 clear beige	0865 silver
0880 champa- gner	0899 bronze	1594 black	5309 mocha brown



MULTI-SL 60

ARTICLE 10660

packaging unit / length
30 pcs per 4 m = 120 m



TSL 60

ARTICLE 10665

packaging unit / length
25 pcs per 4 m = 100 m

hard-foam-skirtings



ORANGE
PRESSURE PIECE

- + unplasticised PVC-multi-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + transparent flexible lip to the floor



ORANGE
PRESSURE PIECE

- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + ready to paste in floors
- + flexible roof



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



SL 48 M

ARTICLE 10589

packaging unit / length
40 pcs per 2,5 m = 100 m

- + unplasticised PVC-foam-skirting in 48 mm headway
- + not affected by humidity or moisture, form-keeping
- + invisible soft lip
- + metal clip, art. 22030 not in delivery range



CLIP

ARTICLE 22030

packaging unit / length
1Pckg. à 50 St.

- + metal clip for assembling
- + multiple mounting and demounting possible

EQUIPMENT

internal corner

Article 22870
50 pieces/color

external corner

Article 22871
50 pieces/color

finish cap left

Article 22880
50 pieces/color

finish cap right


Article 22881
50 pieces/color

connection

Article 22882
50 pieces/color

colours

1729 white	8849 isla spruce	8850 savanne	8851 walnut rust.
8852 cement grey	8853 white oak	8854 sand oak	8855 island oak
8856 oak vint.	8857 old beech	8858 maple dark	



BSL 60


ARTICLE 10537

packaging unit / length
28 pcs per 2,5m = 70 m

EQUIPMENT



- + unplasticised PVC-foam-skirting in 60 mm headway
- + not affected by humidity or moisture, form-keeping
- + invisible soft lip



internal corner

Article 22810
50 pieces/color

external corner

Article 22811
50 pieces/color

finish cap left

Article 22815
50 pieces/color

finish cap right

Article 22814
50 pieces/color

colours


9003 white	8849 isla spruce	8850 savanne	8851 nussb. rust.
8858 maple dark	8853 white oak	8854 sand oak	8855 island oak
8856 oak vint.	8857 old beech	8859 maple nat.	



carpet-skirtings

PROFILES FOR TEXTILES

The skirtings are produced in various styles and colors and guarantee a stunning combination to textile flooring. Our range involves solutions out of foamed-plasticised-PVC and combined materials like rigid-PVC with a soft roof. The chlorine free profile can be easily cut with simple profile scissors. Each profile version has its own characteristics like the self adhesive types, which are specially made for your object. Beyond a high range of equipment alleviates your work.



Our range involves solutions out of foamed-plasticised-PVC and combined materials like rigid-PVC with a soft roof.

carpet-skirtings



TSL 55/6 p. 28




TSL 55/6-SK p. 28



TSL 55/7 p. 29



TSL 55/9 p. 30



TSL 55/6

ARTICLE 10387

packaging unit / length
25 pcs per 4 m = 100 m

ARTICLE 25387

packaging unit / length
40 pcs per 2,5 m = 100 m

- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area integrated
- + specially appropriated for complete textile carpets




- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area with very high stick-attribute
- + specially appropriated for complete textile carpets
- + rearside with foam tape



TSL 55/6-SK

ARTICLE 17387

packaging unit / length
40 pcs per 2,5 m = 100 m



TSL 55/7

ARTICLE 10443

packaging unit / length
30 pcs per 4 m = 120 m

ARTICLE 25443

packaging unit / length
40 pcs per 2,5 m = 100 m

EQUIPMENT



- + unplasticised-PVC-carpet-skirting in 55 mm headway
- + self adhesive area integrated



internal corner

Article 22885
100 pieces/color

external corner

Article 22886
100 pieces/color

colours

0101 white	0107 grey	0111 black
---------------	--------------	---------------



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



TSL 55/9

ARTICLE 10482

packaging unit / length
25 pcs per 4 m = 100 m

ARTICLE 25482

packaging unit / length
40 pcs per 2,5 m = 100 m



0101
white



0101
white

- + unplasticised-PVC-carpet-skirting in 55 mm headway with a soft roof
- + self adhesive area integrated

EQUIPMENT

internal corner

Article 22850
100 pieces/color

external corner

Article 22851
100 pieces/color

finish cap left

Article 22860
50 pieces/color

finish cap right

Article 22861
50 pieces/color

colours

0101
white



tool/equipment	special-profiles	stair-nosings	plasticised-PVC-skirtings	concave-skirtings	carpet-skirtings	hard-foam-skirtings	Q-group
----------------	------------------	---------------	---------------------------	-------------------	------------------	---------------------	---------

concave-skirtings

CONCAVE-SKIRTINGS PROTECT

This skirting has been developed in co-operation with experienced craftsmen for areas, which are most hygiene sensible. The floor can be raised without building corners, when mounting a concave skirting. Ugly and distracting corners could be avoided through radius formation. Benefit from our experience!



Hygiene is the top priority.



concave-skirtings



HKSL 2,5

p. 34




HKSL 3

p. 34



HKP 16-50

p. 35



HKSL 2,5

ARTICLE 24885

packaging unit / length
40 pcs per 2,5 m = 100 m

HKSL 3

ARTICLE 10883

packaging unit / length
25 pcs per 4 m = 100 m

concave-skirtings



- + unplasticised PVC-concave-skirting in 100 mm headway
- + specially developed for your object
- + soft roof



0101
white




0107
grey



0101
white

- + unplasticised PVC-concave-skirting in 100 mm headway
- + specially developed for your object



HKP 16-50

ARTICLE 20000

HKP 16 x 16
packaging unit / length
20 pcs per 2,5 m = 50 m
2 rolls per 30 m = 60 m

ARTICLE 20299

HKP 20 x 20
packaging unit / length
20 pcs per 2,5 m = 50 m

ARTICLE 20399

HKP 25 x 25
packaging unit / length
20 pcs per 2,5 m = 50 m
3 Rollen à 25 m = 75 m

ARTICLE 20400

HKP 50 x 50
packaging unit / length
10 pcs per 2,5 m = 25 m



0111
black



0111
black



0111
black



0111
black



- + plasticised PVC-concave-skirting in various headways
- + for flooring implementation with raised PVC-floors and a neatless wall-floor-footbridge
- + specially for linolium floors
- + combination with various end profiles possible (picture)



Q-group

hard-foam-skirtings

carpet-skirtings

concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment

plasticised-PVC-skirtings

SKIRTINGS FOR YOUR OBJECT

The profile guarantees an easy and functional wall protection and provide the necessary, individual closure to the wall. The flexible skirtings which can be delivered on rolls, are easy to transport and handle. Additionally we sublimate the skirtings with die stamping to guarantee a high-class surface and a great view. The formation of internal and external corners can be carried out endlessly from the roll. More information for competent hauling you find in our product sheets. Choose the right color out of a considerable line!



The flexible skirtings which can be delivered on rolls, are easy to transport and handle.



plasticised-PVC-skirtings



WSL 50/15 p. 38
Objekt-SK



WSL 50/15 p. 38



WSL 60/16 p. 39
Objekt-SK




WSL 60/16 p. 39



WSL 80/18 p. 40



WSL 100/20 p. 41



WSL 50/15 OBJEKT - SK

ARTICLE 10224

packaging unit / length
1 roll per 50 m

- + plasticised PVC-skirting in 50 mm headway to the wall
- + self adhesive rear with a high quality acrylic-tape
- + REACH compliant



WSL 50/15

ARTICLE 10310


packaging unit / length
2 rolls per 50 m = 100 m

- + plasticised PVC-skirting in 50mm headway to the wall for your object
- + REACH compliant



ARTICLE 10510

packaging unit / length
2 rolls per 50 m = 100 m



WSL 60/16 OBJEKT - SK

ARTICLE 10233

packaging unit / length
1 roll per 50 m

WSL 60/16

ARTICLE 10333

packaging unit / length
1 roll per 50 m

plasticised-PVC-skirtings



- + plasticised PVC-skirting in 60 mm wall headway
- + self adhesive rear with a high quality acrylic-tape
- + REACH compliant



- + plasticised PVC-skirting in 60 mm wall headway for your object
- + REACH compliant



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



WSL 80/18

ARTICLE 10335


packaging unit / length
1 roll per 50 m

plasticised-PVC-skirtings



- + plasticised PVC-skirting in 80 mm headway to the wall for your object
- + REACH compliant





WSL 100/20

ARTICLE 10340

packaging unit / length
1 roll per 50 m

- + plasticised PVC-skirting in 100 mm headway to the wall for your object
- + REACH compliant



0107
grey

0111
black

0295
beige



tool/equipment	special-profiles	stair-nosings	plasticised-PVC-skirtings	concave-skirtings	carpet-skirtings	hard-foam-skirtings	Q-group
----------------	------------------	---------------	---------------------------	-------------------	------------------	---------------------	---------



stair-nosings

STAIR-NOSINGS WITH PROFILE


These skirtings are specially intend to combine homogenous flooring or textile flooring to wood, stone or concrete. Take new skirtings for your object and enjoy the modern, valorise look. Profit by the non-skid effect of the plastic profile, which prevents from accidents in staircase areas.

06




Profit by the non-skid effect of the plastic profile, which prevents from accidents in staircase areas.

stair-nosings




TK 60/42-NL p. 44



TK 60/42 p. 44



TK 45/42/3 p. 45




TK 45/30/3 p. 45



TK 40/25/2 p. 46



TEK 30/42/3 p. 47




TK 60/42-NL

ARTICLE 13520

packaging unit / length
20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface
- + fluorescent





TK 60/42

ARTICLE 13420

packaging unit / length
20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 60 x 42 mm headway
- + ruffled surface






TK45/42/3

ARTICLE 13364

packaging unit / length
20 pcs per 2,5 m = 50 m



TK 45/30/3


ARTICLE 13353

packaging unit / length
20 pcs per 2,5 m = 50 m

stair-nosings



+ stair-nosing of plasticised PVC in 45 x 42 mm headway
+ ruffled surface



+ stair-nosing of plasticised PVC in 45 x 30 mm headway
+ ruffled surface



Q-group

hard-foam-skirtings

carpet-skirtings


concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



TK 40/25/2

ARTICLE 13385


packaging unit / length
20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 40 x 25 mm headway
- + ruffled surface



0111
black

0107
grey




TEK 30/42/3

ARTICLE 19397

packaging unit / length
20 pcs per 2,5 m = 50 m

- + stair-nosing of plasticised PVC in 30 x 42 mm headway
- + smooth surface



0111
black



0107
grey



0525
brown



Q-group

hard-foam-skirtings

carpet-skirtings

concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment

special-profiles

SOPHISTICATED REQUIREMENTS

This product range includes numerous profiles for floors, walls and ceilings, made out of foamed, plasticised and unplasticised PVC. For each problem we provide a special profile as solution, for example profiles for edge protection, covings, border-strips, finish-profiles and crossing-profiles. APU offers you the possibility to develop new profile solutions in cooperation, means customer related production of the tool and realisation of a new profile. In this case we indicate to the edge profile article number 32230, which has highly alleviated the work of painter and decorator.



APU offers you the possibility to develop new profile solutions in cooperation, means customer related production of the tool and realisation of a new profile.



AL 32/3 p. 50



AL 32/6,5 p. 50



**SSP 24,5
AL 18** p. 51



**EFS
24/35/6 SK** p. 52



**EFS
28/32/5 SK** p. 52



GS 23 SK p. 53



TEP 22 p. 53



WL 20/20 p. 54




VST 14 p. 54



**STW 54 /
STW 54 SK** p. 55




KSL 60 p. 56



UEL 40 p. 57



HRV 60 p. 57





AL 32/3

ARTICLE 20334

packaging unit / length
25 pcs per 4 m = 100 m

- + unplasticised PVC-end-profile in 35 mm headway
- + multi-functional
- + to combine with art. page 35




AL 32/6,5

ARTICLE 20333

packaging unit / length
25 pcs per 4 m = 100 m

- + unplasticised PVC-end-profile in 32 mm headway
- + to combine with flooring up to and including 6.5 mm of size






SSP 24,5

ARTICLE 25700

packaging unit / length
40 pcs per 2,5 m = 100 m

- + unplasticised end-profile in 24.5 mm headway
- + flexible, transparent lips to wall and floor
- + self adhesive tape at the rearside
- + suitable for vinyl and PVC flooring up to 3 mm




AL 18

ARTICLE 20311

packaging unit / length
40 pcs per 2,5 m = 100 m

- + unplasticised PVC-closing-profile in 18 mm headway
- + for multiple using






EFS 24/35/6 SK

ARTICLE 25918

packaging unit / length
10 pcs per 0,9 m = 9m

- + plasticised PVC-double-edge-stair-nosing for floors up to 6 mm
- + selfadhesive
- + REACH compliant





EFS 28/32/5 SK

ARTICLE 25957

packaging unit / length
10 pcs per 0,9 m = 9 m

- + plasticised PVC-edge-stair-nosing to use with floors up to 5 mm
- + selfadhesive
- + REACH compliant





GS 23 SK


ARTICLE 20118

packaging unit / length
2 rolls per 50 m = 100 m

- + selfadhesive plasticised PVC-anti-slippering-profile in 23 mm for stair-nosings headway
- + REACH compliant



0111
black



TEP 22

ARTICLE 30230

packaging unit / length
15 pcs per 2,6 m = 39 m


- + unplasticised edge-profile
- + to transfer wallpapers tidy and easy
- + adhesive furrow inside



0101
white



0886
stainless
steel



WL 20/20


ARTICLE 30121

packaging unit / length
20 pcs per 2,5 m = 50 m

- + unplasticised edge-profile
- + multi talent for edge protection at doors and window sills or only for decoration



0101
white



VST 14

ARTICLE 25585


packaging unit / length
20 pcs per 2,5 m = 50 m

- + PVC-hard-foam-coving width 14 mm x 14 mm
- + not affected by humidity



0101
white





STW 54

ARTICLE 32110

packaging unit / length
30 pcs per 2,7 m = 81 m

STW 54 SK

ARTICLE 32510

packaging unit / length
30 pcs per 2,7 m = 81 m

+ level-angles, ideal for carpets in 54 mm headway




mixed colour


+ level-angles, ideal for carpets in 54 mm headway

+ selfadhesive



mixed colour





KSL 60

ARTICLE 10421

packaging unit / length
25 pcs per 4 m = 100 m

STÜTZ- PROFIL

ARTICLE 10422

packaging unit / length
25 pcs per 4 m = 100 m



- + unplasticised PVC-skirting in 60 mm headway
- + construction profile, Art. 10422 not included in delivery range



EQUIPMENT

internal corner

Article 22890
50 pieces/color

external corner

Article 22891
50 pieces/color

finish cap left


Article 22895
50 pieces/color

finish cap right

Article 22896
50 pieces/color

colours


0101 white	0295 beige
---------------	---------------



UEL 40

ARTICLE 20361

packaging unit / length
1 roll per 25 m



HRV 60

ARTICLE 22022

packaging unit / length
10 pcs per 2 m = 20 m

EQUIPMENT

special-profiles



- + plasticised PVC- panel frame
- + REACH compliant



0111
black



- + plasticised PVC heating pipe cover skirting
- + for pipes with a maximum diameter of 28 mm



0101
white

internal corner

Article 22820
5 pieces/color

external corner

Article 22821
5 pieces/color

pipe clamp

Article 22024
5 pieces/color

butt connector

Article 22822
5 pieces/color

finish cap left

Article 22825
5 pieces/color

finish cap right

Article 22824
5 pieces/color

colours

0101
white

Q-group

hard-foam-skirtings

carpet-skirtings

concave-skirtings

plasticised-PVC-skirtings

stair-nosings

special-profiles

tool/equipment



equipment

MAKE YOUR WORK EASIER

The processing of BOLTA profiles is carried out professionally with the perfect tools and necessary equipment. APU provides you with the necessary tools. Our BOLTA-skirting board punch is used for all hard-foam-skirtings to punch seamless inner and outer corners. Use our BOLTA-scissors for clean and straight cuts.

08



APU provides you with the necessary tools.



BOLTA-hot glue gun

Can be used for all hard foam skirting boards.

The hot glue gun is supplied in the assembly case and with two different nozzle attachments.



BOLTA-HOT GLUE GUN

Article 22300



BOLTA-HOT GLUE STICKS

Article 22350

18/300 mm
content per box: 5 kg – appx. 70 pcs



REPLACEMENT NOZZLE FOR BOLTA-HOT GLUE GUN

straight Article 22302
curved Article 22301



BOLTA-SCISSORS

Article 22205

scissors leverage with 90 degrees
for accurate cuttings



TWO-COMPONENT-MASTIC

Article 22002

recoated- and paintable
packing unit:
4 cans per 2 kg, 1 carton = 8 kg



METAL-CLIP

Article 22030

multiple mounting and demounting
without problems
content per unit: 50 pcs



BOLTA-skirting-punching case

In our BOLTA-punching case you have everything you need:

- + BOLTA-skirting board punch
- + orange pressure piece for 5mm profiles
- + white pressure piece and white guide block for 12mm profiles
- + BOLTA-profile scissors
- + BOLTA-professional cutter knife
- + BOLTA-meter stick



The case is also empty available.

BOLTA-PUNCHING CASE
Article 22240 (filled)

BOLTA-PUNCHING CASE
Article 22250 (empty)

BOLTA-skirting board punch

Our BOLTA-skirting board punching machine is characterized by:

- + Integrated quick change system (5, 12 and 16 mm thickness of the strips)
- + Markings for internal and external corners
- + Better visibility to the working area



BOLTA-SL PUNCH
Article 22251
for 5 mm profiles



BOLTA-SL PUNCH
Article 22252
for 12 mm profiles



BOLTA-SL PUNCH
Article 22253
for 5 + 12 mm profiles




BOLTA-SL PUNCH
Article 22257
for 16 mm profiles



BOLTA-CONVERSIONSET FOR 16 MM PROFILES
Article 22228



INDIVIDUAL PARTS FOR BOLTA-SKIRTING BOARD PUNCH





Environment

TOWARDS OUR ENVIRONMENT

We understand the principle of a sustainable resource-efficient business management as a major component of our forward-looking corporate policy. Our certified quality management system achieves a continuous minimization of environmental impacts and guarantees the highest possible protection of our employees. Our contribution to environmental protection are measures for heat recovery, a closed cooling water circuit as well as the reduction of waste through extensive recycling and systematic identification and

implementation of energy conservation. As we set special focus on an internal environmental program, we had achieved the continuous reduction of hazardous substances in our products, a complete waiver of toxic ingredients and the greatest possible elimination of substances of the current SVHC-list according to REACH. Concerning our story requirements on eco- and user-friendly products, we exceed the legal level, which only dictates declaration and authorization statements for a number of toxins.



APU Schönberg GmbH

Industriestraße 1

94513 Schönberg, Germany

Phone +49 (0)8554 - 309-0

Fax +49 (0)8554 - 309-50

info@apu-schoenberg.de

www.apu-schoenberg.de

